First Price and Second Price Auction Games. Equilibria detection.

Noémi Gaskó, Rodica Ioana Lung, Mihai Suciu, D. Dumitrescu

Babes-Bolyai University, Cluj-Napoca, Romania

gaskonomi@cs.ubbcluj.ro, rodica.lung@econ.ubbcluj.ro, mihai.suciu@ubbcluj.ro, ddumitr@cs.ubbcluj.ro

Conventional (Nash [1], strong Nash [3]) and unconventional (*t*-immune strategies [5]) equilibria for first price and second price auction games are computed by the use of generative relations [2] and evolutionary computation. The different game equilibria of auction games express different player behavior and rationality. We use numerical examples to analyze and discuss the implications of using different equilibria types for auction games.

References

- [1] J. Nash. Non-Cooperative Games. The Annals of Mathematics, 54(2):286–295, 1951.
- [2] R. I. Lung and D. Dumitrescu. Computing Nash equilibria by means of evolutionary computation. Int. J. of Computers, Communications & Control, 3:364–368, 2008.
- [3] R. Aumann. Acceptable Points in General Cooperative n Person Games Annals of Mathematics Studies 40,287–324, 1959.
- [4] D. Dumitrescu, R. I. Lung, N. Gaskó, T.D. Mihoc. Evolutionary detection of Aumann equilibrium, Genetic and Evolutionary Computation Conference, GECCO, 827–828, 2010.
- [5] I. Abraham, D. Dolev, R. Gonen, J. Halpern. Distributed computing meets game theory: robust mechanisms for rational secret sharing and multiparty computation, *Proceedings of the* twenty-fifth annual ACM symposium on Principles of distributed computing, 53–62, 2006.
- [6] N. Gaskó, M. Suciu, R.I. Lung, D. Dumitrescu. Players with unexpected behavior: t-immune strategies. An evolutionary approach, *Studia Universitatis Babes-Bolyai*, *Informatica* 58: 115– 122, 2013.